




Exceeding The Limits To Always Get The Best

STONE
COLLECTION

800x2400 & 800x3000 MM



CONNECTING THE VALUE OF SLAB





CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of porcelain slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.

PRODUCT Formats



The thicknesses are one of the most important elements characterizing .

15 mm is set aside for the most demanding product applications such as kitchen countertops.

EDGE Profiles



Double straight rounded edge



Rounded straight edge




Half bullnose




Full bullnose




Demi bullnose



Micro bevel




Straight squared edge



Double straight squared edge



Rounded edge at 45°



Squared edge at 45°

Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm, it is possible to shape its edges in different styles and create aesthetically rich countertops for your space.

JOINT POSSIBILITIES



Birds beak



45° corner



Soft corner



Product Name

Plain Colour

Salt n pepper

Royal Quartzite

Saga series

MoonRock Series

Rocker Series

Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of
The Residential Kitchen

Elevating Classic Style
for Today's Homeowner


Leading Edge Design
and Innovation

PLAIN COLOR


PRODUCT Range



PEARL WHITE




JET BLACK GLAZE



JET BLACK



WALL STREET GREY



SCABAS



KOTA GREEN



ESSEL BROWN



DESERT GOLD

PRODUCT Finishes

GLOSSY / MATT

Translucency describes a surface that allows light to pass through while scattering it, preventing clear visibility.





PEARL WHITE



PEARL WHITE

BODY
COLOUR BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



JET BLACK GLAZE

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



JET BLACK

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM




WALL STREET GREY

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



SCABAS

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM




KOTA GREEN

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



ESSEL BROWN

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



DESERT GOLD

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM

SALT N PEPPER


PRODUCT Range



GALAXY WHITE



GREY SALT & PEPPER



VERDE SALT N PEPPER



IVORY SALT N PEPPER



BROWN SALT N PEPPER



BROWN FLAKES



BLACK SALT N PEPPER



BLACK FLAKES




SAGA WHITE

PRODUCT Finishes

GLOSSY / MATT

Translucency describes a surface that allows light to pass through while scattering it, preventing clear visibility.





GALAXY WHITE SNP

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



GREY SALT N PEPPER

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



VERDE SALT N PEPPER



VERDE SALT N PEPPER

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



IVORY SALT N PEPPER

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



BROWN SALT N PEPPER

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



BROWN FLAKES

BODY
FULL BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



BLACK SALT N PEPPER

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



BLACK FLAKES

BODY
FULL BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



SAGA WHITE

BODY
FULL BODY


FINISH
GLOSSY & MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM

ROYAL QUARTZITE

PRODUCT Range



ROYAL QUARTZITE

PRODUCT Finishes

GLOSSY

Translucency describes a surface that allows light to pass through while scattering it, preventing clear visibility.





ROYAL QUARTZITE



ROYAL QUARTZITE

BODY
FULL BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM


THICKNESS
15 MM

SAGA SERIES

PRODUCT Range



SAGA BARLEY



SAGA CHOCO



SAGA BIANCO

PRODUCT Finishes

GLOSSY / MATT

Translucency describes a surface that allows light to pass through while scattering it, preventing clear visibility.





SAGA BARLEY

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



SAGA CHOCO



SAGA CHOCO

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



SAGA BIANCO

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM

MOONROCK SERIES

PRODUCT Range




MOON ROCK BLACK



MOONROCK VERDE



MOONROCK IVORY



MOONROCK GREY

PRODUCT Finishes

MATT

Translucency describes a surface that allows light to pass through while scattering it, preventing clear visibility.





MOON ROCK BLACK

BODY
FULL BODY

FINISH
MATT

SIZE
800x2400 MM

THICKNESS
15 MM



MOONROCK VERDE

BODY
FULL BODY

FINISH
MATT

SIZE
800x2400 MM

THICKNESS
15 MM



MOONROCK IVORY

BODY
FULL BODY

FINISH
MATT

SIZE
800x2400 MM

THICKNESS
15 MM



MOONROCK GREY



MOONROCK GREY

BODY
FULL BODY

FINISH
MATT

SIZE
800x2400 MM

THICKNESS
15 MM

ROCKER SERIES

PRODUCT Range



ROCK BLACK



ROCK WHITE




ROCK GREY



SPARKLE BLACK



SPARKLE WHITE



SPARKLE GREY

PRODUCT Finishes

CARVING

Finish refers to the final surface treatment that affects appearance, durability, and light behavior.





ROCK BLACK



ROCK BLACK

BODY
COLOUR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM




ROCK WHITE

BODY
COLOUR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



ROCK GREY

BODY
COLOUR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



SPARKLE BLACK

BODY
COLOUR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



SPARKLE WHITE

BODY
COLOUR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



SPARKLE GREY

BODY
COLOUR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM

FULLBODY WHITE

PRODUCT Range



CLEAR WHITE

PRODUCT Finishes

GLOSSY / MATT

Translucency describes a surface that allows light to pass through while scattering it, preventing clear visibility.





CLEAR WHITE

BODY
FULL BODY

FINISH
GLOSSY/MATT

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5mm	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175m ³ m	Max. 132m ³ m	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(< ¹²) / Posh ≥P1(¹²⁻²⁴)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹³	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished
 ** Except Hydrofluoric Acid & it's compound
 # Tiles Intended for use on floor
 ## As per customer requirement

Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kgs)
Carving	Color Body	800x2400mm	15mm	1pc	20.67 Sq ft	67 Kgs
Glossy & Matt	Full Body Color Body	800x2400mm	15mm	1pc	20.67 Sq ft	67 Kgs
Glossy	Full Body Color Body	800x3000mm	15mm	1pc	25.83 Sq ft	84 Kgs