




Exceeding The Limits To Always Get The Best

Clas~~Stone~~

800x2400 & 800x3000 MM



CONNECTING THE VALUE OF SLAB



Legacy

Elevating classic style for today's Homeowner.

New Lifestyle

Leading edge design and innovation.

Heritage

Modernist





CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of porcelain slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.


PRODUCT Formats



The thicknesses are one of the most important elements characterizing

15 mm is set aside for the most demanding product applications such as kitchen countertops.


EDGE Profiles



Double straight rounded edge




Rounded straight edge




Half bullnose




Full bullnose




Demi bullnose



Micro bevel




Straight squared edge



Double straight squared edge



Rounded edge at 45°



Squared edge at 45°

Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm it is possible to shape its edges in different styles and create aesthetically rich countertops for your space.

JOINT POSSIBILITIES



Birds beak




45° corner



Soft corner





Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of
The Residential Kitchen

Elevating Classic Style
for Today's Homeowner

Leading Edge Design
and Innovation

APPLICATION Areas

KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE



STAIRCASE



OFFICE TABLE



TABLE TOP



DOOR \ WINDOW
FRAME



TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE



HYGIENIC



RESISTANT TO UV RAYS



PRODUCT Range

WHITE PRINT

PRODUCT Finishes



AFYON WHITE



APUANE STATUARIO



ARABESCATO GOLD



CARRARA DELIGHT



CALCATTÀ ELITE



CALCATTÀ GOLD



CRYSTAL ONYX



CALCATTÀ ULTRA



CALACATTÀ SUPREME



DELMARE



HIMALYAN CRYSTALLO ONYX



IMPERIAL WHITE



INVISIBLE



LILAC GOLD



MARBLE VOLAKAS



MACHIA VECCHIA



MONT BLANC



ORO BIANCO



PANDA WHITE



PEARL CREAM ONYX



REGAL CARRARA



STATUARIO ALTISSIMO



STATUARIO BIANCO



STATUARIO CALACATTÀ



STATUARIO NATURAL



STATUARIO PEARL



STATUARIO SILVER



STATUARIO UNICO




SKYROSE WHITE

GLOSSY

Glossy is an optical property which indicates how well a surface reflects light in a specular (mirror-like) direction.





AFYON WHITE

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM



APUANE STATUARIO




APUANE STATUARIO

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM




ARABESCATO GOLD

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM




CARRARA DELIGHT

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM




CALCATA ELITE

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




CALCATA GOLD

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



CRYSTAL ONYX

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



CALCATA ULTRA

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM




CALACATTA SUPREME

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



DELMARE

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM



HIMALYAN CRYSTALLO ONYX

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




IMPERIAL WHITE

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




INVISIBLE

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



LILAC GOLD

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




MARBLE VOLAKAS

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM




MACHIA VECCHIA

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM




MONT BLANC

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM




ORO BIANCO

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM



PANDA WHITE

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM



PEARL CREAM ONYX

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM




REGAL CARRARA

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM




STATUARIO ALTISSIMO

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM




STATUARIO BIANCO

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



STATUARIO CALACATTA

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM




STATUARIO NATURAL

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



STATUARIO PEARL

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM




STATUARIO SILVER

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM




STATUARIO UNICO

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM



SKYROSE WHITE

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM

BLACK PRINT

PRODUCT Range



AMBRATO GOLD PLAZMA



BLACK FUSION



BLACK PEARL



BLUE PEARL



DYNAMIC GOLD




DEMARTINO GOLD



EMERALD PEARL



FOREST GREEN



GOLDEN PORTORO



LABRADOR BLACK



Lourent gold



MARQUINA BLACK



MARQUINA NERO



PORTORO BLACK



PIZARRA BLACK



ROSE BLACK




SAHARA NOIR

PRODUCT Finishes

GLOSSY

Designed for continuity, an endless tile story finished with eternal brilliance is told through flawless glossy reflections.





AMBRATO GOLD PLAZMA

BODY
COLOUR BODY


FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



BLACK FUSION



BLACK FUSION

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM




BLACK PEARL

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



BLUE PEARL

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



DYNAMIC GOLD

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




DEMARTINO GOLD

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



EMERALD PEARL

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




FOREST GREEN

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



GOLDEN PORTORO

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



LABRADOR BLACK

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



LOURENT GOLD

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



MARQUINA BLACK

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



MARQUINA NERO

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x3000 MM

THICKNESS
15 MM



PORTORO BLACK

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



PIZARRA BLACK

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



ROSE BLACK

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



SAHARA NOIR

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM

IVORY PRINT

PRODUCT Range




BOSCO BEIGE



BOTTOCHINO VENATO




PATAGONIA CLASSIC



PERSIAN IVORY



TRAVERTINE VULCANO



TURKEY ONYX

PRODUCT Finishes

GLOSSY

Glossy tiles designed to appear, polished and complete, which dissolves edges and enhances visual harmony.





BOSCO BEIGE

BODY
COLOUR BODY


FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



BOTTOCHINO VENATO




BOTTOCHINO VENATO

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



PATAGONIA CLASSIC

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



PERSIAN IVORY

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



TRAVERTINE VULCANO

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



TURKEY ONYX

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM

GREY PRINT

PRODUCT Range



GLISTER GREY



PIETRA GREY



SIGNORIA GREY



UNIVERSAL GREY

PRODUCT Finishes

GLOSSY

The surface is so smooth that it seems to never end, rich format tiles with a bright, pure shine.





GLISTER GREY

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



PIETRA GREY

PIETRA GREY

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM

SIGNORIA GREY

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM



UNIVERSAL GREY

BODY
COLOUR BODY

FINISH
GLOSSY

SIZE
800x2400 & 800x3000 MM

THICKNESS
15 MM

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5mm	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175m ³ m	Max. 132m ³ m	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(< ¹²) / Posh ≥P1(¹² - ²⁴)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹³	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished
 ** Except Hydrofluoric Acid & it's compound
 # Tiles Intended for use on floor
 ## As per customer requirement

Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kgs)
Glossy	Color Body	800x2400mm	15mm	1pc	20.67 Sq ft	67 Kgs
Glossy	Color Body	800x3000mm	15mm	1pc	25.83 Sq ft	84 Kgs